

Model: V3-2W+S76-2W

## 2 Wire 7 inch Villa Kit ( IPS )



### Key Features:

**Simplified Wiring:** Utilizes advanced 2-wire transmission technology, supporting long-distance communication.

**Remote Access:** Remote video talk and remote unlock via Tuya and Smart-life app.

**Security Monitoring:** Door station with infrared night vision and motion detection

**Record:** Supports up to 128GB Micro SD card for storing photos and videos.

**System Capacity:** 2 door station + 4 indoor screens

# 2 Wire 7 inch Villa Kit ( IPS )



## Specification

Door station	
Operation system	Linux operation system
Camera	1080P
Night vision	Auto IR
Day/Night	ICR auto switch
Field of view	115°
Audio input	1 microphone, pickup distance $\leq$ 0.5 meters
Audio output	1 speaker
Audio intercom	Two-way audio communication
Communication Mode	IP
Tranmission Signal	TCP/IP
Tranmission Distance	$\geq$ 100 meters
Connection	2-wire cable, diameter $\geq$ 0.2mm
Unlock Mode	Tuya App, Indoor Monitor, Cards
Card type	13.56MHz IC / NFC
Motion detection	Supported, and set on Indoor Monitor
Lock Control	2 ports
Power supply	Power from indoor monitor
Power consumption	< 5 W
Working temperature	-40 °C to 70 °C
Working humidity	10% to 95%
Color	Iron grey
Materials	ABS plastic panel + Zinc alloy ringbell
Accessory	Plastic Rain cover (included); Angel Bracket can be provided
Protection level	IP65 Weatherproof
Dimension	160 mm * 62 mm * 37 mm
Installation	Surface mounting / Wall-mounted

CE FC RoHS


# 2 Wire 7 inch Villa Kit ( IPS )

Indoor Monitor	
Operation system	Linux operation system
Display screen	7" IPS HD Screen
Display resolution	1024*600
Audio input	1 microphone, pickup distance $\leq$ 0.5 meters
Audio output	1 speaker
Audio intercom	Two-way audio communication
Audio quality	Noise suppression and echo cancellation
Communication Mode	IP
Tranmission Signal	TCP/IP
Distance	$\geq$ 100 meters
Connection	2-wire cable, diameter $\geq$ 0.2mm
WiFi	2.4G WiFi
Mobile App	Tuya or Smart life app
Language	English, Russian, Ukrainian, Polish, Portuguese, Arabic, Hebrew, French, German, Spanish, Italian, Czech, Turkish
Ringtone	10 Ringtones
Memory card	Max 128GB Micro SD card
Record	Photo / Video record
CCTV Camera	20 IP Cameras via ONVIF protocol
Power supply	DC 18V 1A / Customized internal power transformer(AC 110V-240V)
Power consumption	$\leq$ 6 W
Working humidity	10% to 90%
Color	Black + Silver Edge
Materials	ABS plastic + PC Lense / Fireproof material when using internal power
Accessory	Bracket (include)
Dimension (L x W x H)	184 mm * 128 mm * 20 mm
Installation	Surface mounting / Wall-mounted


CE FC RoHS

# 2 Wire 7 inch Villa Kit ( IPS )

Size:



System Diagram:



CE FC RoHS

## What's Included the kit?



Package \* 1



Rain cover \* 1



Call panel \* 1




Indoor Monitor \* 1



Power Adaptor \* 1



Mounting Bracket \* 1



User Manual \* 1

## Not included (Available for fee)



Angle Bracket

### Manufacturer

Floor 6 Sanhe Science and Technology, Sanhe Road.Dalang Street, Longhua District, ShenzhenCity, Guangdong Province, China  
Mob: +86 188 2370 9809  
Email: info@farhd.com  
www.farhd.com

Shenzhen FARHD Tech Co., Ltd.Unless otherwise agreed, FARHD makes no warranties, express or implied. We reserve the right to introduce modifications without notice.

**FARHD**<sup>®</sup>