

AHD 4 Wire with Memory 7 inch Villa Kit (IPS screen + Touch Button)



Key Features:

4-wire stable connection, easy installation

One button for calling

Remote door release

Night vision outdoor camera

Weather: resistant & durable

System Capacity: 2 door station + 4 indoor screens

Built-in storage can store 300 photos

Max 128GB MicroSD memory card for video record

2 AHD Analog cameras and 2 alarm detectors

AHD 4 Wire with Memory 7 inch Villa Kit (IPS screen + Touch Button)



Specification

| Door station | |
|----------------------|--|
| Operation system | Linux operation system |
| Camera | 1080P |
| Night vision | Auto IR |
| Field of view | 115° |
| Audio input | 1 microphone, pickup distance \leq 0.5 meters |
| Audio output | 1 speaker |
| Audio intercom | Two-way audio communication |
| Communication Mode | Analog |
| Tranmission Signal | 485 Signal |
| Tranmission Distance | \geq 100 meters |
| Connection | 4-wire cable, diameter \geq 0.2mm |
| Relay output | 1 Relay |
| Power supply | Power from indoor monitor |
| Power consumption | < 5 W |
| Working temperature | -40 °C to 70 °C |
| Working humidity | 10% to 95% |
| Color | Black + Silver |
| Materials | ABS Plastic + PC Lense |
| Accessory | Plastic Rain cover (included); Angel Bracket can be provided |
| Protection level | IP65 Weatherproof |
| Dimension | 130 mm x 63 mm x 28 mm |
| Installation | Surface mounting / Wall-mounted |

CE FC RoHS


AHD 4 Wire with Memory 7 inch Villa Kit (IPS screen + Touch Button)

| Indoor Monitor | |
|-----------------------|---|
| Operation system | Linux operation system |
| Display screen | 7-inch colorful IPS TFT LCD screen |
| Display resolution | 1024*600 |
| Ringtone | 6 ringtones |
| Audio input | 1 microphone, pickup distance \leq 0.5 meters |
| Audio output | 1 speaker |
| Audio intercom | Two-way audio communication |
| Communication Mode | Analog |
| Tranmission Signal | 485 Signal |
| Distance | \geq 100 meters |
| Connection | 4-wire cable, diameter \geq 0.2mm |
| Memory card | Max 128GB Micro SD card |
| Photo | 300 (Built-in storage) |
| Record | Photo / Video record |
| CCTV Camera | 2 AHD Analog Cameras |
| Detector | 2 Detectors |
| Power supply | DC 15V 1.2A / Customized internal power transformer(AC 110V-240V) |
| Power consumption | \leq 6 W |
| Working humidity | 10% to 90% |
| Color | White |
| Materials | ABS Plastic / Fireproof material when using internal power |
| Accessory | Bracket (include) |
| Dimension (L x W x H) | 196 mm \times 140 mm \times 20 mm |
| Installation | Surface mounting / Wall-mounted |


CE FC RoHS

AHD 4 Wire with Memory 7 inch Villa Kit (IPS screen + Touch Button)

Size:



System Diagram:



CE FC RoHS

What's Included the kit?



Package * 1



Rain cover * 1



Call panel * 1




Indoor Monitor * 1



Power Adaptor * 1



Mounting Bracket * 1



User Manual * 1

Not included (Available for fee)



Angle Bracket

Manufacturer

Floor 6 Sanhe Science and Technology, Sanhe Road.Dalang Street, Longhua District, ShenzhenCity, Guangdong Province, China
Mob: +86 188 2370 9809
Email: info@farhd.com
www.farhd.com

Shenzhen FARHD Tech Co., Ltd. Unless otherwise agreed, FARHD makes no warranties, express or implied. We reserve the right to introduce modifications without notice.

FARHD[®]