

Model: V7-IP+S71-IP-Tuya

IP 7 inch Villa Kit (IPS Glass Lense)



IPS Display



Touch Screen

Two-way
AudioRemote
UnlockMax 128G
SD Card

1080P

Ethernet
ConnectionPOE Power
SupplyPhoto/Video
Recording

Zone Alarm

Polyphonic
RingtoneInternal
Intercom System

Monitor



APP Support

Key Features:

Simplified Wiring: CAT 5 / CAT 6 network cable connection, supporting long-distance communication.

Remote Access: Remote video talk and remote unlock via Tuya and Smart-life app.

Security Monitoring: Door station with infrared night vision and motion detection

Record: Supports up to 128GB Micro SD card for storing photos and videos.

IP 7 inch Villa Kit (IPS Glass Lense)



Specification

| Door station | |
|----------------------|--|
| Operation system | Linux operation system |
| Camera | 1080P |
| Night vision | Auto IR |
| Day/Night | ICR auto switch |
| Field of view | 115° |
| Audio input | 1 microphone, pickup distance \leq 0.5 meters |
| Audio output | 1 speaker |
| Audio intercom | Two-way audio communication |
| Communication Mode | IP |
| Tranmission Signal | TCP/IP |
| Tranmission Distance | \geq 100 meters |
| Connection | Network cable, CAT 5 / CAT 6 |
| Unlock Mode | Tuya App, Indoor Monitor |
| Lock Control | 2 ports |
| Power supply | Power from indoor monitor |
| Power consumption | < 5 W |
| Working temperature | -40 °C to 70 °C |
| Working humidity | 10% to 95% |
| Color | Iron grey |
| Materials | ABS Plastic |
| Accessory | Plastic Rain cover (included); Angel Bracket can be provided |
| Protection level | IP65 Weatherproof |
| Dimension | 135 mm × 50 mm × 26 mm |
| Installation | Surface mounting / Wall-mounted |

CE FC RoHS

IP 7 inch Villa Kit


(IPS Glass Lense)

| Indoor Monitor | |
|-----------------------|---|
| Operation system | Linux operation system |
| Display screen | 7" IPS HD Screen |
| Display resolution | 1024*600 |
| Audio input | 1 microphone, pickup distance \leq 0.5 meters |
| Audio output | 1 speaker |
| Audio intercom | Two-way audio communication |
| Audio quality | Noise suppression and echo cancellation |
| Communication Mode | IP |
| Tranmission Signal | TCP/IP |
| Distance | \cong 100 meters |
| Connection | Network cable, CAT 5 / CAT 6 |
| WiFi | 2.4G WiFi |
| Mobile App | Tuya or Smart life app |
| Language | English, Russian, Ukrainian, Polish, Portuguese, Arabic, Hebrew, French, German, Spanish, Italian, Czech, Turkish |
| Ringtone | 10 Ringtones |
| Memory card | Max 128GB Micro SD card |
| Record | Photo / Video record |
| CCTV Camera | 20 IP Cameras via ONVIF protocol |
| Power supply | DC 18V 1A / Customized internal power transformer(AC 110V-240V) |
| Power consumption | \leq 6 W |
| Working humidity | 10% to 90% |
| Color | Black + Silver Edge |
| Materials | ABS plastic + Glass Mirror / Fireproof material when using internal power |
| Accessory | Bracket (include) |
| Dimension (L x W x H) | 217 mm * 122 mm * 25 mm |
| Installation | Surface mounting / Wall-mounted |


CE FC RoHS

IP 7 inch Villa Kit (IPS Glass Lense)

Size:



System Diagram:



CE FC RoHS

What's Included the kit?



Package * 1



Rain cover * 1




Call panel * 1




Indoor Monitor * 1



Power Adaptor * 1



Mounting Bracket * 1



User Manual * 1

Not included (Available for fee)



Angle Bracket

Headquarters

Floor 6 Sanhe Science and Technology, Sanhe Road.Dalang Street,
Longhua District, ShenzhenCity, Guangdong Province, China
T +86 188 2370 9809
www.farhd.com

CE FC RoHS