

Model: V1-IP+S71-IP-Tuya

IP 7 inch Villa Kit (IPS Glass Lense)



Key Features:

Simplified Wiring: CAT 5 / CAT 6 network cable connection, supporting long-distance communication.

Remote Access: Remote video talk and remote unlock via Tuya and Smart-life app.

Security Monitoring: Door station with infrared night vision and motion detection

Record: Supports up to 128GB Micro SD card for storing photos and videos.

IP 7 inch Villa Kit (IPS Glass Lense)



Specification

Door station	
Operation system	Linux operation system
Camera	1080P
Night vision	Auto IR
Day/Night	ICR auto switch
Field of view	115°
Audio input	1 microphone, pickup distance \leq 0.5 meters
Audio output	1 speaker
Audio intercom	Two-way audio communication
Communication Mode	IP
Tranmission Signal	TCP/IP
Tranmission Distance	\geq 100 meters
Connection	Network cable, CAT 5 / CAT 6
Unlock Mode	Tuya App, Indoor Monitor, Cards
Card type	13.56MHz IC / NFC
Lock Control	2 ports
Power supply	Power from indoor monitor
Power consumption	< 5 W
Working temperature	-40 °C to 70 °C
Working humidity	10% to 95%
Color	Grey,Black,White
Materials	ABS Plastic or Aluminum alloy
Accessory	Plastic or Metal Rain cover (included); Angel Bracket can be provided
Protection level	IP65 Weatherproof
Dimension	145mm*55mm*21mm
Installation	Surface mounting / Wall-mounted

CE FC RoHS

IP 7 inch Villa Kit (IPS Glass Lense)




Indoor Monitor	
Operation system	Linux operation system
Display screen	7" IPS Glass HD Screen
Display resolution	1024*600
Audio input	1 microphone, pickup distance \leq 0.5 meters
Audio output	1 speaker
Audio intercom	Two-way audio communication
Audio quality	Noise suppression and echo cancellation
Communication Mode	IP
Tranmission Signal	TCP/IP
Distance	\geq 100 meters
Connection	Network cable, CAT 5 / CAT 6
WiFi	2.4G WiFi
Memory card	Max 128GB Micro SD card
Record	Photo / Video record
CCTV Camera	20 IP Cameras via ONVIF protocol
Power supply	DC 18V 1A
Power consumption	\leq 6 W
Working humidity	10% to 90%
Color	Black + Gray Stripes
Materials	ABS plastic + Glass Mirror / Fireproof material when using internal power
Accessory	Bracket (include)
Dimension (L x W x H)	217 mm \times 122 mm \times 25 mm
Installation	Surface mounting / Wall-mounted


CE FC RoHS

IP 7 inch Villa Kit (IPS Glass Lense)

Size:



System Diagram:



CE FC RoHS

What's Included the kit?



Package * 1




Call panel * 1




Indoor Monitor * 1



Power Adaptor * 1



Mounting Bracket * 1



User Manual * 1

Not included (Available for fee)



Angle Bracket

Manufacturer

Floor 6 Sanhe Science and Technology, Sanhe Road.Dalang Street, Longhua District, ShenzhenCity, Guangdong Province, China
Mob: +86 188 2370 9809
Email: info@farhd.com
www.farhd.com

CE FC RoHS